

令和6年度 降 雨 成 分 調 査 結 果 表

項 目			pH	導電率	NH4 ⁺	NO3 ⁻	SO4 ²⁻	Cl ⁻	Na ⁺	K ⁺	Ca ²⁺	H ⁺	Mg ²⁺
月 日	時 刻	No.		μ S/cm	μ g/mL	μ g/mL	μ g/mL	μ g/mL	μ g/mL	μ g/mL	μ g/mL	μ g/mL	μ g/mL
R6. 5. 27~ 5. 28	9:30~ 翌9:30	1	6. 2	150	2. 3	6. 6	10	30	16	1. 9	3. 8	<0. 01	2. 1
		2	6. 1	38	0. 64	1. 5	2. 3	7. 4	4. 3	0. 25	0. 72	<0. 01	0. 49
		3	5. 9	23	0. 49	1. 0	1. 5	3. 4	1. 7	0. 90	0. 33	<0. 01	0. 18
		4	5. 8	17	0. 44	0. 9	1. 4	2. 4	1. 3	0. 50	0. 26	<0. 01	0. 15
		5	5. 7	14	0. 46	0. 79	1. 3	1. 6	0. 94	0. 35	0. 18	<0. 01	0. 10
	182ml	6	5. 7	19. 0	0. 41	1. 0	1. 4	2. 7	1. 4	0. 57	0. 31	<0. 01	0. 16
平 均☆			5. 9	43. 5	0. 79	1. 97	3. 0	7. 92	4. 27	0. 75	0. 93	<0. 01	0. 53
R6. 7. 25~ 7. 26	9:00~ 翌9:00	1	5. 9	30	2. 5	2. 8	2. 1	3. 8	2. 5	0. 34	0. 6	<0. 01	0. 28
		2	5. 9	12	0. 72	1. 4	0. 9	1. 1	0. 72	0. 09	0. 21	<0. 01	0. 09
		3	5. 6	16	0. 62	2. 3	1. 3	1. 1	0. 62	0. 18	0. 29	<0. 01	0. 10
		4	5. 5	14	0. 63	1. 7	0. 9	1. 3	0. 63	0. 29	0. 29	<0. 01	0. 13
		5	5. 2	13. 0	0. 55	1. 5	0. 9	1. 0	0. 55	0. 20	0. 21	<0. 01	0. 08
	3305ml	6	5. 3	5. 6	0. 15	0. 37	0. 3	0. 29	0. 15	0. 09	<0. 04	<0. 01	<0. 02
平 均☆			5. 6	15. 1	0. 86	1. 68	1. 1	1. 43	0. 86	0. 20	0. 33	<0. 01	0. 03
R6. 10. 23~ 10. 24	9:00~ 翌9:00	1	6. 3	24. 0	0. 63	2. 0	1. 6	3. 0	1. 9	0. 29	0. 64	<0. 01	0. 17
		2	5. 7	9. 2	0. 35	1. 2	0. 7	0. 6	0. 32	0. 13	0. 27	<0. 01	0. 06
		3	5. 5	12. 0	0. 48	1. 4	0. 9	0. 92	0. 36	0. 46	0. 25	<0. 01	0. 05
		4	5. 5	8. 5	0. 39	0. 76	0. 7	0. 63	0. 26	0. 26	0. 10	<0. 01	0. 03
		5	5. 2	7. 8	0. 25	0. 70	0. 6	0. 40	0. 20	0. 09	0. 10	<0. 01	0. 03
	3234ml	6	5. 3	8. 2	0. 07	0. 21	0. 4	1. 1	0. 7	0. 05	0. 06	<0. 01	0. 07
平 均☆			5. 6	11. 6	0. 36	1. 05	0. 8	1. 11	0. 62	0. 21	0. 24	<0. 01	0. 07

☆平均値は、1～5番目の測定データのみで算出