

令和4年度 降雨成分調査結果表

項 目			pH	導電率	NH ₄ ⁺	NO ₃ ⁻	SO ₄ ²⁻	Cl ⁻	Na ⁺	K ⁺	Ca ²⁺	H ⁺	Mg ²⁺
月 日	時 刻	No.		μ S/cm	μ g/mL	μ g/mL	μ g/mL	μ g/mL	μ g/mL	μ g/mL	μ g/mL	μ g/mL	μ g/mL
R4. 6.27~ 6.28	18:00~ 翌11:30	1	6.5	170	4.1	8.1	10	34	18	1.1	3.8	<0.01	2.4
		2	6.2	50	1.2	2.4	2.5	8.5	4.5	0.23	0.94	<0.01	0.55
		3	5.6	28	0.76	1.3	1.4	4.5	2.3	0.12	0.32	<0.01	0.28
		4	5.4	22	0.66	1.1	1.1	3.3	1.8	0.09	0.22	<0.01	0.20
		5	5.5	12	0.33	0.52	0.6	1.7	0.91	0.05	0.11	<0.01	0.11
		6	5.1	9.7	0.16	0.39	0.7	0.7	0.43	0.04	0.12	<0.01	0.05
平均☆			5.8	56.4	1.41	2.68	2.7	10.40	5.50	0.32	1.08	<0.01	0.71
R4. 8.2~ 8.3	15:40~ 翌11:40	1	4.5	37.0	0.78	2.5	3.1	2.30	1.70	0.12	0.50	0.03	0.15
		2	4.1	41.0	0.48	0.97	2.1	0.84	0.75	0.06	0.15	0.07	0.07
		3	4.4	30.0	0.48	1.7	1.4	1.10	1.00	0.07	0.10	0.04	0.08
		4	4.5	24.0	0.37	1.2	1.2	1.10	0.99	0.06	0.07	0.03	0.07
		5	4.9	11.0	0.29	0.63	0.7	0.46	0.37	0.04	0.05	0.01	0.03
		6	5.1	9.4	0.08	0.32	0.5	0.8	0.63	0.03	0.04	<0.01	0.04
平均☆			4.6	25.4	0.41	1.22	1.5	1.10	0.91	0.06	0.15	<0.01	0.03
R4 10.4~ 10.5	9:10~ 翌9:10	1	5.4	29.0	0.90	2.0	3.0	3.40	2.0	0.24	0.63	<0.01	0.23
		2	4.7	24.0	0.58	1.2	2.5	1.10	0.94	0.10	0.21	0.02	0.10
		3	4.5	33.0	0.67	1.6	3.0	1.90	1.6	0.12	0.19	0.03	0.16
		4	4.9	17.0	0.32	0.77	1.5	1.00	0.83	0.09	0.09	0.01	0.08
		5	5.1	33.0	0.26	0.47	1.9	6.30	3.6	0.15	0.17	<0.01	0.39
		6	4.7	35.0	0.35	0.77	2.5	4.90	3.0	0.12	0.13	0.02	0.30
平均☆			4.9	28.5	0.51	1.14	2.4	3.10	2.00	0.14	0.24	<0.01	0.19

☆平均値は、1～5番目の測定データのみで算出